

Tops

- Laminate Top w/ Lotz Armor Edge™ (Standard)* High pressure laminate (HPL) top and moisture preventative & gum resistant phenolic backer bonded to 1.125" thick medium density fiberboard (MDF) core. Total top thickness 1.25". Choice of WB standard HPL. Optional top surface choices include writable surface laminate (markerboard) and most Wilsonart matte (-60) finish laminates with possible up charges. Other vendors available upon request. (Check availability of non-standard colors, minimum order may apply.) Lotz™ Armor Edge is a WB exclusive polyurea that is extremely strong and durable. This edge will not separate from the MDF core and makes the edge completely water tight. 0.25" beveled radius edge. See catalog for color options.
- Laminate Top w/3mm Edge Band* The core material is 1.125" thick particle board with a phenolic backer sheet and high pressure laminate on top making the total thickness of the top at 1.25". 3mm PVC edge banding is applied to all edges, radius corners. Color matching unless otherwise specified. Complimentary colors available upon request. See catalog for color options. Optional top surface choices include writable surface laminate (markerboard) and most Wilsonart matte (-60) finish laminates with possible up charges. Other vendors available upon request. (Check availability of non-standard colors, minimum order may apply.)
- Butcher Block Top* Hardwood: 1.75" thick, face-glued hardwood strips with 0.125" radius all corners/edges with two coats catalyzed clear lacquer top and sides with one clear coat bottom. Tops over 36" come in 2 pieces, 0.5" undersized, field assembled with joint connector bolts. Not recommended in areas with high exposure to moisture, such as sink locations. This will void the MFG Warranty. Gussets are standard on all LOBO Tables with Hardwood Tops. **NOTE:** Wood is a natural product that is susceptible to indentations from everyday use, including the pressure from tools and writing utensils. While this adds character to the worksurface, some may find that this worksurface type is not the best for their specific application. Because of the natural properties of hardwood, refinishing the worksurface periodically is recommended.
- Phenolic Top* 1" thick black phenolic resin and cellulose fiber composite top with 0.125" radius edges and corners with high resistance to chemicals, humidity and abrasions.
- Stainless Steel Top* 1.625" thick, 16-gauge 304 stainless steel worksurface with particle board core. Wrapped and welded all corners with a Safety return, exposed core bottom. (Not suitable for food preparation or intended for heavy wash-down areas.) Note: Stainless Steel tops are shipped with a protective laser film to prevent scratching during transportation. We recommend using products containing M.E.K. for ease during removal of the film.
- Epoxy Top* 1" epoxy resin top with 0.125" beveled edge provides the greatest combination of physical and chemical resistance property as well as heat and flame resistance.

Frame

- Overview* The fully welded heavy duty solid steel apron is 1" x 2", 16-gauge steel. Legs and apron are MIG welded together to make the frame of the table. Apron has welded 16-gauge steel tabs at preset locations used for fastening the frame to the back of the table top*. Full/half shelf and H-frame are optional.
- Corner Gusset Kit* Recommended for all TORO tables with caster option, table size that exceeds 30" x 72" or intended table use heights greater than 31" for increased stability. Kits are unavailable on any shaped tables excluding rounds.

Legs

- Fixed (-FX): 1.5" square steel tube* Fixed legs are 14-gauge, 1.5" square or 2" round steel tube that are fully welded to the apron. Leg is finished off with a 1 3/8" adjustment nylon glide with 3/8"-16 thread x 1". Optional welded gussets.
- Fixed (-FXR): 2" round steel tube*
- Adjustable - 1.5" square (-ADJ)* The adjustable leg options include a 1.5" square or 2" round 14-gauge outer tube with two (2) holes for positive contact and safety with adjustability. The outer tubes are welded to the apron. The inner portion of the leg is 1.25" square or 1.75" round 16-gauge tube with flow-drilled and tapped holes. The inner leg section is fabricated to fit into the outer leg assembly. The adjustments are made through two (2) button head machine screws (M6 Allen head) into the tapped holes of the inner leg. Finished off with a 1 3/8" adjustment nylon glide with 3/8"-16 thread x 1". Optional welded gussets.
- Adjustable - 2" round (-ALR)*

Finish

- Frame & Leg* Choice of textured black or smooth silver frame and legs. Colored frames are optional on fixed legs.

*Epoxy tops require an adhesive or silicone (not included) to attach to TORO frame to the top. Do NOT use screws to attach any epoxy tops.

TORO tables have passed BIFMA testing for 400lbs. load capacity.


Shipping Class: Frames: Density Based Class*, Tops: 70

NMFC#: Frames: 82790


NMFC#: Tops: 83620-2

*Based on quantity shipped

TORO Tables with Lotz Armor Edge™ & 3mm Top



- Overall Table Heights:**
- FX: 1.5" square steel tube or 2" round steel tube
30" overall height w/nylon glides
 - FXR: 2" round steel tube
30" overall height w/nylon glides
 - ADJ: 1.5" square steel tube
23.5" - 37.5" overall height w/nylon glides
 - ALR: 2" round, steel tube
21.5" - 37.5" overall height w/nylon glides




		1.5" Square Fixed (-FX) Legs		1.5" Square Adj. (-ADJ) Legs		2" Round Fixed (-FXR) Legs		2" Round Adj. (-ALR) Legs		
AE™	3mm	Top D" x L"	AE™ Wgt	3mm Wgt	AE™ Wgt	3mm Wgt	AE™ Wgt	3mm Wgt	AE™ Wgt	3mm Wgt
TOR7067	TOR6067	24 x 36	57	55	58	56	59	57	60	58
TOR7068	TOR6068	24 x 42	63	61	64	62	65	63	66	64
TOR7069	TOR6069	24 x 48	69	67	70	68	71	69	72	70
TOR7070	TOR6070	24 x 54	76	73	77	74	78	75	79	76
TOR7071	TOR6071	24 x 60	82	79	83	80	84	81	85	82
TOR7072	TOR6072	24 x 72	95	91	97	93	97	93	99	95
TOR7073	TOR6073	24 x 84	108	104	109	105	110	106	111	107
TOR7074	TOR6074	24 x 96	121	116	122	117	123	118	124	119
TOR7078	TOR6078	30 x 36	66	64	67	65	68	66	69	67
TOR7079	TOR6079	30 x 42	73	71	74	72	75	73	76	74
TOR7080	TOR6080	30 x 48	81	78	82	79	83	80	84	81
TOR7082	TOR6082	30 x 60	96	93	97	94	98	95	99	96
TOR7083	TOR6083	30 x 72	112	107	114	109	114	109	116	111
TOR7084	TOR6084	30 x 84	128	123	129	124	130	125	131	126
TOR7085	TOR6085	30 x 96	143	137	144	138	145	139	146	140
TOR7088	TOR6088	36 x 36	75	72	76	73	77	74	78	75
TOR7089	TOR6089	36 x 42	84	81	85	82	86	83	87	84
TOR7090	TOR6090	36 x 48	93	89	94	90	95	91	96	92
TOR7092	TOR6092	36 x 60	111	106	113	108	113	108	115	110
TOR7093	TOR6093	36 x 72	128	123	130	125	130	125	132	127
TOR7094	TOR6094	36 x 84	147	141	148	142	149	143	150	144
TOR7095	TOR6095	36 x 96	165	158	166	159	167	160	168	161
TOR7098	TOR6098	42 x 42	94	90	95	91	96	92	97	93
TOR7099	TOR6099	42 x 60	125	120	127	122	127	122	129	124
TOR7100	TOR6100	42 x 72	146	140	147	141	148	142	149	143
TOR7107	TOR6107	48 x 48	116	111	118	113	118	113	120	115
TOR7108	TOR6108	48 x 60	139	133	141	135	141	135	143	137
TOR7109	TOR6109	48 x 72	163	156	164	157	165	158	166	159
TOR7111	TOR6111	48 x 96	210	200	212	202	212	202	214	204

TORO Tables with Lotz Armor Edge™ & 3mm Top


TORO Clover Table

Lotz AE™ Top	AE™ Wgt	3mm Top	3mm Wgt	Description	Top D" x L"	Table H"
TOR7250-FX	79	TOR6250-FX	76	4 - 1.5" Square Fixed Legs	41.57x 41.57	30
TOR7250-ADJ	81	TOR6250-ADJ	78	4 - 1.5" Square Adj. Legs	41.57 x 41.57	21.5 - 37.5
TOR7250-FXR	81	TOR6250-FXR	78	4 - 2" Fixed Round Legs	41.57 x 41.57	30
TOR7250-ALR	83	TOR6250-ALR	80	4 - 2" Round Adj. Legs	41.57 x 41.57	21.5 - 37.5



TORO Trapezoid Table

Lotz AE™ Top	AE™ Wgt	3mm Top	3mm Wgt	Description	Top D" x L"	Table H"
TOR7212-FX	54	TOR6212-FX	53	4 - 1.5" Square Fixed Legs	24 x 48	30
TOR7212-ADJ	56	TOR6212-ADJ	55	4 - 1.5" Square Adj. Legs	24 x 48	21.5 - 37.5
TOR7212-FXR	56	TOR6212-FXR	55	4 - 2" Fixed Round Legs	24 x 48	30
TOR7212-ALR	58	TOR6212-ALR	57	4 - 2" Round Adj. Legs	24 x 48	21.5 - 37.5
TOR7211-FX	73	TOR6211-FX	71	4 - 1.5" Square Fixed Legs	30 x 60	30
TOR7211-ADJ	75	TOR6211-ADJ	73	4 - 1.5" Square Adj. Legs	30 x 60	21.5 - 37.5
TOR7211-FXR	75	TOR6211-FXR	73	4 - 2" Fixed Round Legs	30 x 60	30
TOR7211-ALR	77	TOR6211-ALR	75	4 - 2" Round Adj. Legs	30 x 60	21.5 - 37.5



Phenolic tops available for TORO Trapezoid Tables. See Catalog for model numbers.




TORO Horseshoe Table

Lotz AE™ Top	AE™ Wgt	3mm Top	3mm Wgt	Description	Top D" x L"	Table H"
TOR7226-FX	111	TOR6226-FX	107	4 - 1.5" Square Fixed Legs	48 x 72	30
TOR7226-ADJ	112	TOR6226-ADJ	108	4 - 1.5" Square Adj. Legs	48 x 72	21.5 - 37.5
TOR7226-FXR	113	TOR6226-FXR	109	4 - 2" Fixed Round Legs	48 x 72	30
TOR7226-ALR	114	TOR6226-ALR	110	4 - 2" Round Adj. Legs	48 x 72	21.5 - 37.5



TORO Kidney Table

Lotz AE™ Top	AE™ Wgt	3mm Top	3mm Wgt	Description	Top D" x L"	Table H"
TOR7220-FX	134	TOR6220-FX	129	4 - 1.5" Square Fixed Legs	48 x 72	30
TOR7220-ADJ	135	TOR6220-ADJ	130	4 - 1.5" Square Adj. Legs	48 x 72	21.5 - 37.5
TOR7220-FXR	136	TOR6220-FXR	131	4 - 2" Fixed Round Legs	48 x 72	30
TOR7220-ALR	137	TOR6220-ALR	132	4 - 2" Round Adj. Legs	48 x 72	21.5 - 37.5




TORO Tables

with Lotz Armor Edge™ & 3mm Top

TORO Round Table

Lotz AE™ Top	AE™ Wgt	3mm Top	3mm Wgt	Description	Top Dia."	Table H"
TOR7190-FX	59	TOR6190-FX	57	4 - 1.5" Square Fixed Legs	36	30
TOR7190-ADJ	61	TOR6190-ADJ	59	4 - 1.5" Square Adj. Legs	36	21.5 - 37.5
TOR7190-FXR	61	TOR6190-FXR	59	4 - 2" Fixed Round Legs	36	30
TOR7190-ALR	63	TOR6190-ALR	61	4 - 2" Round Adj. Legs	36	21.5 - 37.5
TOR7191-FX	76	TOR6191-FX	73	4 - 1.5" Square Fixed Legs	42	30
TOR7191-ADJ	78	TOR6191-ADJ	75	4 - 1.5" Square Adj. Legs	42	21.5 - 37.5
TOR7191-FXR	78	TOR6191-FXR	75	4 - 2" Fixed Round Legs	42	30
TOR7191-ALR	80	TOR6191-ALR	77	4 - 2" Round Adj. Legs	42	21.5 - 37.5
TOR7192-FX	93	TOR6192-FX	89	4 - 1.5" Square Fixed Legs	48	30
TOR7192-ADJ	95	TOR6192-ADJ	91	4 - 1.5" Square Adj. Legs	48	21.5 - 37.5
TOR7192-FXR	95	TOR6192-FXR	91	4 - 2" Fixed Round Legs	48	30
TOR7192-ALR	97	TOR6192-ALR	93	4 - 2" Round Adj. Legs	48	21.5 - 37.5
TOR7194-FX	133	TOR6194-FX	127	4 - 1.5" Square Fixed Legs	60	30
TOR7194-ADJ	134	TOR6194-ADJ	128	4 - 1.5" Square Adj. Legs	60	21.5 - 37.5
TOR7194-FXR	135	TOR6194-FXR	129	4 - 2" Fixed Round Legs	60	30
TOR7194-ALR	136	TOR6194-ALR	130	4 - 2" Round Adj. Legs	60	21.5 - 37.5



TORO Tables with Hardwood Top



TOR9082-ADJG
Shown with optional
corner gusset kit

Field joint for
hardwood butcher
block tops over 36"D



Hardwood
butcher block



Hardwood	Top D" x L"	1.5" Square Fixed Wgt	1.5" Square Adj. Wgt	2" Round Fixed Wgt	2" Round Adj. Wgt
TOR9067	24 x 36	67	69	69	71
TOR9068	24 x 42	75	77	77	79
TOR9069	24 x 48	83	85	85	87
TOR9070	24 x 54	91	93	93	95
TOR9071	24 x 60	99	101	101	103
TOR9072	24 x 72	115	117	117	119
TOR9073	24 x 84	132	134	134	136
TOR9074	24 x 96	148	150	150	152
TOR9078	30 x 36	79	81	81	83
TOR9079	30 x 42	88	90	90	92
TOR9080	30 x 48	98	100	100	102
TOR9082	30 x 60	118	120	120	122
TOR9083	30 x 72	137	139	139	141
TOR9084	30 x 84	158	160	160	162
TOR9085	30 x 96	177	179	179	181
TOR9088	36 x 36	90	92	92	94
TOR9089	36 x 42	102	104	104	106
TOR9090	36 x 48	113	115	115	117
TOR9092	36 x 60	136	138	138	140
TOR9093	36 x 72	159	161	161	163
TOR9094	36 x 84	183	185	185	187
TOR9095	36 x 96	206	208	208	210
TOR9098*	42 x 42	115	117	117	119
TOR9099*	42 x 60	155	157	157	159
TOR9100*	42 x 72	182	184	184	186
TOR9107*	48 x 48	143	145	145	147
TOR9108*	48 x 60	173	175	175	177
TOR9109*	48 x 72	204	206	206	208
TOR9111*	48 x 96	264	266	266	268

*Top is in 2 pieces, 0.5" undersized, field assembled with joint connector bolt

Frame: Fully welded 16-gauge 1" x 2" heavy duty steel apron with fully welded legs, choice of textured black or painted smooth silver frame and legs, nylon glides, optional H-frame


Fixed Legs: -FX: 1.5" square, steel tube - 30.44" overall height
-FXR: 2" round, steel tube - 30.44" overall height

Adj Legs: -ADJ: 1.5" square, steel tube - 22" - 38" overall height
-ALR: 2" round, steel tube - 22" - 38" overall height (height in 1" increments)

Shelf: Optional full or half shelf

Hardwood Butcher Block Top: 1.75" thick face-glued hardwood strips with 0.125" radius edge and clear catalyzed lacquer finish, 2 coats top, 1 coat bottom.
*Tops over 36" come in 2 pieces, 0.5" undersized, field assembled with joint connector bolts.

TORO tables have passed BIFMA testing.



NOTE: Wood is a natural product that is susceptible to indentations from everyday use, including the pressure from tools and writing utensils. While this adds character to the worksurface, some may find that this worksurface type is not the best for their specific application. Because of the natural properties of hardwood, refinishing the worksurface periodically is recommended.

Field assembled 2 piece top with virtually seamless joint*



TORO Tables with Stainless Steel Top



		1.5" Square Fixed	1.5" Square Adj.	2" Round Fixed	2" Round Adj.
--	--	-------------------	------------------	----------------	---------------

Stainless Steel	Top D" x L"	Wgt	Wgt	Wgt	Wgt
TORSJ067	24 x 36	91	93	93	95
TORSJ068	24 x 42	103	105	105	107
TORSJ069	24 x 48	115	117	117	119
TORSJ070	24 x 54	127	129	129	131
TORSJ071	24 x 60	139	141	141	143
TORSJ072	24 x 72	163	165	165	167
TORSJ073	24 x 84	188	190	190	192
TORSJ074	24 x 96	212	214	214	216
TORSJ078	30 x 36	109	111	111	113
TORSJ079	30 x 42	123	125	125	127
TORSJ080	30 x 48	138	140	140	142
TORSJ082	30 x 60	168	170	170	172
TORSJ083	30 x 72	197	199	199	201
TORSJ084	30 x 84	228	230	230	232
TORSJ085	30 x 96	257	259	259	261
TORSJ088	36 x 36	126	128	128	130
TORSJ089	36 x 42	144	146	146	148
TORSJ090	36 x 48	161	163	163	165
TORSJ092	36 x 60	196	198	198	200
TORSJ093	36 x 72	231	233	233	235
TORSJ094	36 x 84	267	269	269	271
TORSJ095	36 x 96	302	304	304	306
TORSJ098	42 x 42	164	304	304	306
TORSJ099	42 x 60	225	227	227	229
TORSJ100	42 x 72	266	268	268	270
TORSJ107	48 x 48	207	209	209	211
TORSJ108	48 x 60	253	255	255	257
TORSJ109	48 x 72	300	302	302	304
TORSJ111	48 x 96	392	394	394	396

Frame: Fully welded 16-gauge 1" x 2" heavy duty steel apron with fully welded legs, choice of textured black or painted smooth silver frame and legs, nylon glides, optional H-frame


Fixed Legs:
-FX: 1.5" square, steel tube - 30.31" overall height
-FXR: 2" round, steel tube - 30.31" overall height

Adj Legs:
-ADJ: 1.5" square, steel tube - 21.86" - 37.86" overall height
-ALR: 2" round, steel tube - 21.86" - 37.86" overall height (height in 1" increments)

Shelf: Optional full or half shelf

Stainless Steel: 16-gauge 304 stainless steel with particle board core, 1.625" thick, wrapped and welded all corners with Safety J edge, phenolic backer

TORO tables have passed BIFMA testing.




TORO Tables with Phenolic Top



TOR8082-ADJ

Phenolic



Frame: Fully welded 16-gauge 1" x 2" heavy duty steel apron with fully welded legs, choice of textured black or painted smooth silver frame and legs, nylon glides, optional H-frame

Fixed Legs:
-FX: 14-gauge, 1.5" square, steel tube - 29.75" height
-FXR: 14-gauge, 2" round, steel tube - 29.75" height

Adj Legs:
-ADJ: 14-gauge, 1.5" square, steel tube - 21.25" - 37.25" height
-ALR: 14-gauge, 2" round, steel tube - 21.25" - 37.25" height (height in 1" increments)


Shelf: Optional full or half shelf

Phenolic Top: 1" black phenolic resin with 0.125" radius edge

Options: Custom heights and table top sizes and welded-on corner gussets. For casters, glides (installed onsite by others and are NOT leveling devices) and for additional options see our catalog.

Phenolic	Top D" x L"	1.5" Square Fixed	1.5" Square Adj.	2" Round Fixed	2" Round Adj.
		Wgt	Wgt	Wgt	Wgt
TOR8067	24 x 36	70	72	72	74
TOR8068	24 x 42	79	81	81	83
TOR8069	24 x 48	87	89	89	91
TOR8070	24 x 54	96	98	98	100
TOR8071	24 x 60	104	106	106	108
TOR8072	24 x 72	121	123	123	125
TOR8073	24 x 84	139	141	141	143
TOR8074	24 x 96	156	158	158	160
TOR8078	30 x 36	82	84	84	86
TOR8079	30 x 42	93	95	95	97
TOR8080	30 x 48	103	105	105	107
TOR8082	30 x 60	124	126	126	128
TOR8083	30 x 72	145	147	147	149
TOR8084	30 x 84	166	168	168	170
TOR8085	30 x 96	187	189	189	191
TOR8088	36 x 36	95	97	97	99
TOR8089	36 x 42	107	109	109	111
TOR8090	36 x 48	119	121	121	123
TOR8092	36 x 60	144	146	146	148
TOR8093	36 x 72	168	170	170	172
TOR8094	36 x 84	194	196	196	198
TOR8095	36 x 96	218	220	220	222
TOR8098	42 x 42	121	123	123	125
TOR8099	42 x 60	163	165	165	167
TOR8100	42 x 72	193	195	195	197
TOR8107	48 x 48	151	153	153	155
TOR8108	48 x 60	183	185	185	187
TOR8109	48 x 72	216	218	218	220
TOR8111	48 x 96	280	282	282	284

TORO tables have passed BIFMA testing.



TORO Tables with Epoxy Top



<i>Epoxy</i>	<i>Top D" x L"</i>	1.5" Square Fixed	1.5" Square Adj.	2" Round Fixed	2" Round Adj.
		<i>Wgt</i>	<i>Wgt</i>	<i>Wgt</i>	<i>Wgt</i>
TORE067	24 x 36	85	87	87	89
TORE068	24 x 42	96	98	98	100
TORE069	24 x 48	107	109	109	111
TORE070	24 x 54	118	120	120	122
TORE071	24 x 60	129	131	131	133
TORE072	24 x 72	151	153	153	155
TORE073	24 x 84	174	176	176	178
TORE074	24 x 96	196	198	198	200
TORE078	30 x 36	101	103	103	105
TORE079	30 x 42	115	117	117	119
TORE080	30 x 48	128	130	130	132
TORE082	30 x 60	155	157	157	159
TORE083	30 x 72	182	184	184	186
TORE084	30 x 84	210	212	212	214
TORE085	30 x 96	237	239	239	241
TORE088	36 x 36	117	119	119	121
TORE089	36 x 42	133	135	135	137
TORE090	36 x 48	149	151	151	152
TORE092	36 x 60	181	182	182	184
TORE093	36 x 72	213	215	215	217
TORE094	36 x 84	246	248	248	250
TORE095	36 x 96	278	280	280	282
TORE098	42 x 42	152	154	154	156
TORE099	42 x 60	207	209	209	211
TORE100	42 x 72	245	247	247	249
TORE107	48 x 48	191	193	193	195
TORE108	48 x 60	233	235	235	237
TORE109	48 x 72	276	278	278	280
TORE111	48 x 96	360	362	362	364

Frame: Fully welded 16-gauge 1" x 2" heavy duty steel apron with fully welded legs, choice of textured black or painted smooth silver frame and legs, nylon glides, optional H-frame

Fixed Legs: **-FX:** 14-gauge, 1.5" square, steel tube - 29.75" height

-FXR: 14-gauge, 2" round, steel tube - 29.75" height

Adj Legs: **-ADJ:** 14-gauge, 1.5" square, steel tube - 21.25" - 37.25" height


-ALR: 14-gauge, 2" round, steel tube - 21.25" - 37.25" height (height in 1" increments)

Shelf: Optional full or half shelf

Epoxy Top: 1" black epoxy resin with 0.125" beveled edge

DO NOT put casters on tables with epoxy resin tops, this voids the warranty.

TORO tables have passed BIFMA testing.



Caution:
Any use of an epoxy top utilized in a mobile application will void any/all implied warranties on the top. This is due to exposing edges of an epoxy top to impacts will likely result in damages to the top.



TORO Table specifications

Additional Options (See chart below for LOBO optional feature availability.*)

	Adder Code	Description
Premium Lotz AE™ Colors		See Catalog for color options.
Metal Wire Management	-WM	Length varies between 36" - 72", depending upon table length, black
Gussets	-G	Corner gusset kit is recommended for all LOBO tables with casters, if table size exceeds 30" x 72" or the height for intended use is greater than 31". Kits are not available on any shaped tables excluding rounds. (Standard on LOBO Tables with Hardwood Top.)
Grommet	-GR	Per grommet hole, includes cut out and grommet with cover.
Casters**	-CA	Dual-wheel soft tread locking casters, raises height by 2.11"
	-HDCA	3" heavy-duty locking casters, raises height by 3.5", 250# capacity per leg
	-HDCC_	3" heavy-duty colored locking casters, raises height by 3.5", 250# capacity per leg
Wheelbarrow Option	-2CA	(2) dual-wheel soft tread locking casters (2) and non-marring glides
	-2HDCA	(2) 3" heavy-duty locking casters and (2) nylon glides
	-2HDCC_	(2) 3" heavy-duty colored locking casters and (2) nylon glides
1.5" Soft Touch Glide	-FG	
1.25" Steel Glide	-SG	
2.5" Grand Hank Glide	-HG	
2" Backpack Hooks	-BPH	Smooth silver & black, set of 2
Tote Tray Kit	-GKD__S	Translucent tote is standard. See Catalog for other color options. n/a on epoxy top
Full Metal Shelf	-SHF	
Offset Half Metal Shelf	-HSHF	
Centered Half Metal Shelf	-CSHF	
H-Frame	H-Frame	
TORO custom fixed height		(Fixed only)
Chemical Resistant Top	-09C	
Custom Sizes		Call Estimating.
Non-Standard Edge Band		See WB Finishes in Catalog for non-standard edge band colors.
Power Supply Modules		See Catalog for options.

**Casters are NOT to be used as leveling devices and require field assembly. When casters are added to TORO fixed legs, the work surface height increases. It is recommended to add casters to adjustable legs to offset for the overall increased height. Corner gusset kit: Recommended for all tables with caster option, table size exceeds 30" x 72" or intended table uses heights greater than 31" for increased stability.

TORO Optional Features****

TORO Table	(-BPH)	(-FG)	(-SG)	(-HG)	(-CA)	(N/A on fixed) (-2CA)	(-HDCA)	(N/A on fixed) (-2HDCA)	(-HDCC_)	(N/A on fixed) (-2HDCC_)	(-G)	(-GR)	(-WM)	PWR
Rectangle	X	X	X	X	X	X	X	X	X	X	X	X	X	See catalog
Clover	X	X	X	X	X	X	X	X	X	X	N/A	X	N/A	See catalog
Trapezoid	X	X	X	X	X	X	X	X	X	X	N/A	X	N/A	See catalog
Trapezoid (Phenolic)	X	X	X	X	X	X	X	X	X	X	N/A	X	N/A	See catalog
Horseshoe	X	X	X	X	X	X	X	X	X	X	N/A	X	N/A	See catalog
Kidney	X	X	X	X	X	X	X	X	X	X	N/A	X	N/A	See catalog
Round	X	X	X	X	X	X	X	X	X	X	X	X	N/A	See catalog
Hardwood Top	X	X	X	X	X	X	X	X	X	X	X	X	X	See catalog
Stainless Top	X	X	X	X	X	X	X	X	X	X	X	N/A	N/A	See catalog
Phenolic Top	X	X	X	X	X	X	X	X	X	X	X	X	X	See catalog
Epoxy Top	X	X	X	X	N/A	N/A	N/A	N/A	N/A	N/A	X	N/A	N/A	N/A